

# Server-side Rendering

The Whys and The Hows





NEBULA





THE MAKING OF SONGBOOK  
NEBULA ORIGINAL

ANCIENT ROME  
NEBULA ORIGINAL

BATTLE OF BRITAIN  
NEBULA ORIGINAL

TIP OF THE SPECTER  
NEBULA ORIGINAL

THE MAKING OF SONGBOOK  
NEBULA ORIGINAL

REAL TIME HISTORY PRESENTS  
**REDATOMS**  
CHELOMOV AND THE SOVIET NUCLEAR PROGRAM  
NEBULA ORIGINAL

A Wendover Production  
**Alaska's Silent Summer**  
NEBULA ORIGINAL

HALF AS INTERESTING'S  
**CRIME SPREE**  
THE WORLD'S MOST ILLEGAL GAME SHOW  
NEBULA ORIGINAL

THE MAKING OF SONGBOOK  
NEBULA ORIGINAL

TALE FOUNDRY  
**WORLDSMITHS**  
NEBULA ORIGINAL

BY PATRICK (H) WILLEMS season finale  
**NIGHT OF THE COCONUT**  
NEBULA ORIGINAL

REALSCIENCE  
**BECOMING HUMAN**  
NEBULA ORIGINAL

A Wendover Production  
**EXTREME**  
NEBULA ORIGINAL

Maggie Mae Fish presents  
**UNRATED**  
NEBULA ORIGINAL

LINDSAY ELLIS  
**Everyone LOVES GUY FIERY (NOW)**  
NEBULA ORIGINAL

ABIGAIL THORN  
**THE PRINCE**  
NEBULA ORIGINAL

WENDOVER PRESENTS  
**The Logistics of**  
NEBULA ORIGINAL

REALSCIENCE  
**BECOMING HUMAN**  
NEBULA ORIGINAL

其实  
**CHINA, ACTUALLY**  
NEBULA ORIGINAL

A VERY GOOD  
**TRIVIA SHOW**  
NEBULA ORIGINAL

ALEX GOES  
**BANANAS!**  
NEBULA ORIGINAL

ANITA SARKEESIAN  
**THAT TIME WHEN**  
NEBULA ORIGINAL

**POLYPHONIC**  
MAGAZINE  
NEBULA ORIGINAL

TECHALTAR PRESENTS  
**TECHNORAMA**  
TECHNOLOGY ON THE SILVER SCREEN  
NEBULA ORIGINAL

NEBULA ORIGINAL  
**16 DAYS IN BERLIN**  
THE FINAL BATTLE OF WW2 DAY BY DAY

**Story Mode**  
NEBULA ORIGINAL

neo  
**exposure**  
NEBULA ORIGINAL

A Wendover Production  
**THE COLORADO TRIEM**

THE MAKING OF SONGBOOK  
NEBULA ORIGINAL

PLANNING ANCIENT ROME  
NEBULA ORIGINAL



A Wendover Production  
**Alaska's Silent Summer**

BATTLE OF BRITAIN  
NEBULA ORIGINAL






2021





















### Everyone Loves Guy Fieri (Now)

May 12, 2023 ORIGINAL



Lindsay Ellis  
Film & TV

Following



Web Inspector — nebula.tv — lindsayellis-everyone-loves-guy-fieri-now

Elements Console Sources Network Timelines Storage Graphics Layers Audit

html.js-focus-visible > head > meta

```
<meta property="og:url" content="https://nebula.tv/videos/lindsayellis-everyone-loves-guy-fieri-now" data-react-helmet="true">
<meta property="og:title" content="Lindsay Ellis - Everyone Loves Guy Fieri (Now)" data-react-helmet="true">
<meta property="og:description" content="Lindsay Ellis takes a dive into the rise, fall, and rise again of the Mayor of Flavor Town, Guy Fieri." data-react-helmet="true">
<meta name="description" content="Lindsay Ellis takes a dive into the rise, fall, and rise again of the Mayor of Flavor Town, Guy Fieri." data-react-helmet="true">
<meta property="og:image" content="https://dj423fildxgac.cloudfront.net/851d0755-c327-496f-b6db-1bfa0265f999?format=jpeg&width=1280" data-react-helmet="true"> = $0
<meta property="og:image:type" content data-react-helmet="true">
<meta property="og:image:width" content="1280" data-react-helmet="true">
<meta property="og:image:height" content="720" data-react-helmet="true">
<meta name="twitter:card" content="summary_large_image" data-react-helmet="true">
<meta property="og:type" content="video.other" data-react-helmet="true">
<meta property="video:duration" content="2639" data-react-helmet="true">
<meta property="video:release_date" content="2023-05-12T16:00:07Z" data-react-helmet="true">
<meta name="author" content="Lindsay Ellis" data-react-helmet="true">
<meta name="twitter:creator" content="@thelindsayellis" data-react-helmet="true">
<meta name="color-scheme" content="light" data-react-helmet="true">
</head>
<body>
  <noscript>You need to enable JavaScript to run this app.</noscript>
  <div id="root">
    <div id="NebulaApp" class="App">
      <button role="button" tabindex="0" class="css-1i1a5c5">Skip to main content</button> flex
      <div class="css-1phm8ki">
        <nav aria-label="main navigation" class="css-mavz0a">
          <div class="css-1vndofv"> grid
            <div class="css-f0uv1y"> flex
              <a class="css-1a4rgmn" href="/">...</a>
              <a class="css-1a4rgmn" href="/myshows">...</a>
              <a class="css-1g0uarn" href="/videos">...</a>
              <a class="css-1a4rgmn" href="/podcasts">...</a>
              <a class="css-1a4rgmn" href="/classes">...</a>
              <a href="https://store.nebula.tv/" rel="noopener noreferrer" target="_self" class="css-1a4rgmn">...</a>
            </div>
            <a class="css-o76yxb" href="/">...</a> flex
          </div>
        </nav>
      </div>
    </div>
  </body>
</html>
```

Auto — lindsayellis-everyon...loves-guy-fieri-now





**Nebula**

@WatchNebula



New [@thelindsayellis](#) just dropped



nebula.tv

Lindsay Ellis — Everyone Loves Guy Fieri (Now)

Lindsay Ellis takes a dive into the rise, fall, and rise again of the Mayor of Flavor Town, Guy Fieri.

Everything runs JS, I guess?..



2022





1. Introduction

## Persuasive Communication

By Sam from Wendover

Save

About


Resources

10 Lessons

50 minutes

- 1 Introduction 3:03
- 2 Persuasion in Real Life 4:56
- 3 The Basics of Persuasion 7:45
- 4 Social Judgment Theory 6:35
- 5 Social Judgment Theory in Practice 3:40
- 6 Elaboration Likelihood Model 8:42
- 7 Cognitive Dissonance Theory 4:29
- 8 Cognitive Dissonance Theory in Pra... 3:55
- 9 Putting Persuasion Into Practice 2:34









# Persuasive Communication




This class is perfect for those constructing the perfect persuasive argument. Or is it? Sam from Wendover breaks down the tools of his trade and proves that arguing can be very productive. Persuading someone to understand your perspective can be an up-hill battle, this course shows you how to make every argument count. Led by Sam from Wendover Productions, you'll see that arguing a point can be analytical and rewarding without being exhausting... Maybe even a little fun.





















/bot|crawler|spider|crawling|facebook|twitter|slack/i

/bot | crawler | spider | crawling | facebook | twitter | slack / i



The screenshot shows the Nebula.tv website interface. At the top, there's a navigation bar with 'Featured', 'My Library', 'Videos', 'Podcasts', and 'Classes'. Below this is a search bar and a user profile icon. The main content area features a video player on the left, currently showing the 'Introduction' lesson. To the right of the video player is a list of 10 lessons with their respective durations. The video player shows a man with long blonde hair sitting at a desk with a laptop and a typewriter, holding a white cup. The video title is 'Persuasive Communication' by Sam from Wendover. Below the video player are tabs for 'About' and 'Resources'.


Lesson	Duration
1. Introduction	3:03
2. Persuasion in Real Life	4:56
3. The Basics of Persuasion	7:45
4. Social Judgment Theory	6:35
5. Social Judgment Theory in Practice	3:40
6. Elaboration Likelihood Model	8:42
7. Cognitive Dissonance Theory	4:29
8. Cognitive Dissonance Theory in Pra...	3:55
9. Putting Persuasion Into Practice	2:34



The screenshot shows the Nebula.tv website interface. At the top, there's a navigation bar with 'Featured', 'My Library', 'Videos', 'Podcasts', and 'Classes'. Below this is a search bar and a user profile icon. The main content area features a video player on the left, currently showing the 'Introduction' lesson. To the right of the video player is a list of 10 lessons with their respective durations. The video player shows a man with long blonde hair sitting at a desk with a laptop and a typewriter, holding a white cup. The video title is 'Persuasive Communication' by Sam from Wendover. Below the video player are tabs for 'About' and 'Resources'.

## Persuasive Communication

This class is perfect for those constructing the perfect persuasive argument. Or is it? Sam from Wendover breaks down the tools of his trade and proves that arguing can be very productive. Persuading someone to understand your perspective can be an up-hill battle, this course shows you how to make every argument count. Led by Sam from Wendover Productions, you'll see that arguing a point can be analytical and rewarding without being exhausting... Maybe even a little fun.






# The Server

- Determine what page is requested
- Query HTTP APIs for data to render
- Render HTML




- Determine what page is requested



- Query HTTP APIs for data to render




- Render HTML





- Determine what pa





# Browser APIs

`location.href`

`window`

`document`

# Browser APIs

location  
request.url

window

document



# Browser APIs



# Browser APIs

request.url



window

document





`isSSR() ? 0 : window.innerWidth`

`window?.innerWidth ?? 0`

# Browser APIs



useEffect

useState



# Browser APIs



```
useState(window.innerWidth);
```



```
useState(window.innerWidth);
```

```
useEffect(() => {  
    setWidth(window.innerWidth);  
}, []);
```

```
useState(window.innerWidth);
```

```
useEffect(() => {  
  setWidth(window.innerWidth);  
}, []);
```

*y not, typescript?*



Good ol' smoke tests

# Browser APIs

location  
request.url



window

document



useEffect



useState



```
const renderedHtml = ReactDOMServer.renderToString(  
  <StaticRouter location={url}>  
    <App />  
  </StaticRouter>  
);
```

Queries



```
const queryClient = new QueryClient();
```

```
<QueryClientProvider client={queryClient}>
```

```
  <App />
```

```
</QueryClientProvider>
```

# Browser APIs

request.url



window

document



useEffect

useState

- Render the page *without* API data
- Fetch queries
- Render the page *with* API data



```
function getIdleQueries(queryClient) {  
  const queryCache = queryClient.getQueryCache();  
  const queries = queryCache.findAll();  
  
  return (  
    queries  
      .filter((q) => q.options.enabled !== false)  
      .filter((q) => q.state.status === 'idle')  
  );  
}
```

```
async function extractAndFetchQueries(queryClient) {  
  const queries = getIdleQueries(queryClient);  
  
  const fetches = queries.map(async (q) => {  
    const { onSuccess } = q.options || {};  
    const queryResponse =  
      await queryClient.fetchQuery(q.queryKey, q.options);  
  
    onSuccess?.(queryResponse);  
  });  
  
  const promiseResults = await Promise.allSettled(fetches);  
  
  // ...  
}
```

```
async function extractAndFetchQueries(queryClient) {  
  // ...  
  
  const queryError = promiseResults  
    .find(({ status }) => status === 'rejected')?.reason;  
  
  if (queryError) {  
    queryClient.removeQueries({  
      predicate(query) {  
        return query.state.status === 'error';  
      },  
    });  
    throw queryError;  
  }  
}
```



```
const renderedHtml = ReactDOMServer.renderToString(  
  <QueryClientProvider client={queryClient}>  
    <StaticRouter location={url}>  
      <App />  
    </StaticRouter>  
  </QueryClientProvider>  
);
```

Query multiple times

# Error responses



```
try {
  await extractAndFetchQueries(queryClient);
} catch (e) {
  const status =
    axios.isAxiosError(e) ? e.response?.status : null;

  if (status && status >= 400 && status < 500) {
    res.writeHead(404, { 'Content-Type': 'text/html' });
    res.end(renderedHtml);
    return;
  }

  throw e;
}
```

CDN will deal with 5XX


User sessions



# Steam goes down as potential caching issue reveals private data (update)

Jeff Grubb  
@jeffgrubb

December 25, 2015 12:52 PM



## Most Read

- 1 How Hendrik Lesser hopes Death From Above will bring the Ukraine War home | The DeanBeat

Steam changed one of our accounts to the Canadian store.  
Image Credit: Jeff Grubb/GamesBeat





### Everyone Loves Guy Fieri (Now)

May 12, 2023 ORIGINAL



Lindsay Ellis  
Film & TV

Following

🔒 nebula.tv/videos/lindsayellis-everyone-loves-guy-fieri-now/



★ Everyone Loves Guy Fieri (Now) | Nebula



Web Inspector — nebula.tv — lindsayellis-everyone-loves-guy-fieri-now

Elements Console Sources Network Timelines Storage Graphics Layers Audit

html.js-focus-visible > head > meta

```
<meta property="og:url" content="https://nebula.tv/videos/lindsayellis-everyone-loves-guy-fieri-now" data-react-helmet="true">
<meta property="og:title" content="Lindsay Ellis - Everyone Loves Guy Fieri (Now)" data-react-helmet="true">
<meta property="og:description" content="Lindsay Ellis takes a dive into the rise, fall, and rise again of the Mayor of Flavor Town, Guy Fieri." data-react-helmet="true">
<meta name="description" content="Lindsay Ellis takes a dive into the rise, fall, and rise again of the Mayor of Flavor Town, Guy Fieri." data-react-helmet="true">
<meta property="og:image" content="https://dj423fildxgac.cloudfront.net/851d0755-c327-496f-b6db-1bfa0265f999?format=jpeg&width=1280" data-react-helmet="true"> = $0
<meta property="og:image:type" content data-react-helmet="true">
<meta property="og:image:width" content="1280" data-react-helmet="true">
<meta property="og:image:height" content="720" data-react-helmet="true">
<meta name="twitter:card" content="summary_large_image" data-react-helmet="true">
<meta property="og:type" content="video.other" data-react-helmet="true">
<meta property="video:duration" content="2639" data-react-helmet="true">
<meta property="video:release_date" content="2023-05-12T16:00:07Z" data-react-helmet="true">
<meta name="author" content="Lindsay Ellis" data-react-helmet="true">
<meta name="twitter:creator" content="@thelindsayellis" data-react-helmet="true">
<meta name="color-scheme" content="light" data-react-helmet="true">
</head>
<body>
<noscript>You need to enable JavaScript to run this app.</noscript>
<div id="root">
  <div id="NebulaApp" class="App">
    <button role="button" tabindex="0" class="css-1i1a5c5">Skip to main content</button> flex
    <div class="css-1phm8ki">
      <nav aria-label="main navigation" class="css-mavz0a">
        <div class="css-1vndofv"> grid
          <div class="css-f0uv1y"> flex
            <a class="css-1a4rgmn" href="/">...</a>
            <a class="css-1a4rgmn" href="/myshows">...</a>
            <a class="css-1g0uarn" href="/videos">...</a>
            <a class="css-1a4rgmn" href="/podcasts">...</a>
            <a class="css-1a4rgmn" href="/classes">...</a>
            <a href="https://store.nebula.tv/" rel="noopener noreferrer" target="_self" class="css-1a4rgmn">...</a>
          </div>
          <a class="css-o76yxb" href="/">...</a> flex
        </div>
      </nav>
    </div>
  </div>
</div>
</body>
</html>
```

Auto — lindsayellis-everyon...loves-guy-fieri-now



Web Inspector — nebula.tv — lindsayellis-everyone-loves-guy-fieri-now

Elements Console Sources Network Timelines Storage Graphics Layers Audit

html.js-focus-visible > head > meta

```
<meta property="og:url" content="https://nebula.tv/videos/lindsayellis-everyone-loves-guy-fieri-now" data-react-helmet="true">
<meta property="og:title" content="Lindsay Ellis - Everyone Loves Guy Fieri (Now)" data-react-helmet="true">
<meta property="og:description" content="Lindsay Ellis takes a dive into the rise, fall, and rise again of the Mayor of Flavor Town, Guy Fieri." data-react-helmet="true">
<meta name="description" content="Lindsay Ellis takes a dive into the rise, fall, and rise again of the Mayor of Flavor Town, Guy Fieri." data-react-helmet="true">
<meta property="og:image" content="https://dj423fildxgac.cloudfront.net/851d0755-c327-496f-b6db-1bfa0265f999?format=jpeg&width=1280" data-react-helmet="true"> = $0
<meta property="og:image:type" content data-react-helmet="true">
<meta property="og:image:width" content="1280" data-react-helmet="true">
<meta property="og:image:height" content="720" data-react-helmet="true">
<meta name="twitter:card" content="summary_large_image" data-react-helmet="true">
<meta property="og:type" content="video.other" data-react-helmet="true">
<meta property="video:duration" content="2639" data-react-helmet="true">
<meta property="video:release_date" content="2023-05-12T16:00:07Z" data-react-helmet="true">
<meta name="author" content="Lindsay Ellis" data-react-helmet="true">
<meta name="twitter:creator" content="@thelindsayellis" data-react-helmet="true">
<meta name="color-scheme" content="light" data-react-helmet="true">
</head>
<body>
<noscript>You need to enable JavaScript to run this app.</noscript>
<div id="root">
  <div id="NebulaApp" class="App">
    <button role="button" type="button" class="css-111af5c5">Skip to main content</button> flex
    <div class="css-1pln8k">
      <div aria-label="main navigation" class="css-1ma7za">
        <div class="css-1nncv">id
          <div class="css-1fv1">flex
            <a class="css-14rn" href="/">...</a>
            <a class="css-1a4gn" href="/my-shows">...</a>
            <a class="css-1g0gn" href="/videos">...</a>
            <a class="css-1a0gm" href="/podcast">...</a>
            <a class="css-1a0gm" href="/classes">...</a>
            <a href="https://store.nebulatv/" rel="noopener noreferrer" target="self" class="css-1a4rn">...</a>
          </div>
        <a class="css-07byxb" href="/">...</a> flex
      </div>
    </div>
  </div>
</body>
```

Auto — lindsayellis-everyon...loves-guy-fieri-now

- Determine what page is requested
- Query HTTP APIs for data to render
- Render **<head>** and keep **<body>** as is





```
const helmet = Helmet.renderStatic();

const renderedHtml = barebonesIndexHtml
  .toString()
  .replace(/<html/, '<html ' + helmet.htmlAttributes.toString())
  .replace(/<title>[^<]*<\/title>/, helmet.title.toString())
  .replace(
    /<\/head>\s*<body>/,
    [helmet.link, helmet.meta].join(' ') + '<\/head><body>'
  );
```



```
Web Inspector — nebula.tv — lindsayellis-everyone-loves-guy-fieri-now
Elements Console Sources Network Timelines Storage Graphics Layers Audit
lindsayellis-everyone-loves-guy-fieri-now Response
19 <script type="module" crossorigin src="/static/index-b03ccfa2.js"></script>
20 <link rel="modulepreload" crossorigin href="/static/vendor-39279f84.chunk.js">
21 <link rel="stylesheet" href="/static/index-70fd2565.css">
22 <link data-react-helmet="true" rel="alternate" type="application/rss+xml"
href="https://rss.nebula.app/video/channels/lindsayellis.rss" title="Latest Videos of Lindsay Ellis"/>
23 <link data-react-helmet="true" rel="alternate" type="application/rss+xml"
href="https://rss.nebula.app/video/channels/lindsayellis.rss?plus=true" title="Latest Plus Videos of Lindsay Ellis"/>
24 <meta data-react-helmet="true" name="color-scheme" content="light"/>
25 <meta data-react-helmet="true" property="og:url" content="https://nebula.tv/videos/lindsayellis-everyone-loves-guy-fieri-
now"/>
26 <meta data-react-helmet="true" property="og:title" content="Lindsay Ellis – Everyone Loves Guy Fieri (Now)"/>
27 <meta data-react-helmet="true" property="og:description" content="Lindsay Ellis takes a dive into the rise, fall, and
rise again of the Mayor of Flavor Town, Guy Fieri."/>
28 <meta data-react-helmet="true" name="description" content="Lindsay Ellis takes a dive into the rise, fall, and rise again
of the Mayor of Flavor Town, Guy Fieri."/>
29 <meta data-react-helmet="true" property="og:image" content="https://dj423fildxgac.cloudfront.net/851d0755-c327-496f-b6db-
1bfa0265f999?format=jpeg&width=1280"/>
30 <meta data-react-helmet="true" property="og:image:type" content/>
31 <meta data-react-helmet="true" property="og:image:width" content="1280"/>
32 <meta data-react-helmet="true" property="og:image:height" content="720"/>
33 <meta data-react-helmet="true" name="twitter:card" content="summary_large_image"/>
34 <meta data-react-helmet="true" property="og:type" content="video.other"/>
35 <meta data-react-helmet="true" property="video:duration" content="2639"/>
36 <meta data-react-helmet="true" property="video:release_date" content="2023-05-12T16:00:07Z"/>
37 <meta data-react-helmet="true" property="og:site_name" content="Nebula"/>
38 <meta data-react-helmet="true" name="twitter:site" content="@watchnebula"/>
39 <meta data-react-helmet="true" name="author" content="Lindsay Ellis"/>
40 <meta data-react-helmet="true" name="twitter:creator" content="@thelindsayellis"/>
41 </head>
42 <body>
43 <noscript>You need to enable JavaScript to run this app.</noscript>
44 <div id="root"></div>
45
46 </body>
47 </html>
48
```






Deployment

Keep old assets available



**CDN**












/jetlag





/index.2c3.js





/jetlag

/index.2c3.js



















/jetlag

/index.2c3.js









/bot|crawler|spider|crawling|facebook|twitter|slack/i






crawling




viewers

CDN

origins



**Distribution**



Distribution


Distribution




# Caching



# Cache-Control

max-age={seconds}



s-maxage={seconds}



- Age
- Allow
- Alt-Svc
- Authorization
- Cache-Control**
- Clear-Site-Data
- Connection
- Content-Disposition
- Content-DPR 
- Content-Encoding
- Content-Language
- Content-Length
- Content-Location
- Content-Range
- Content-Security-Policy
- Content-Security-Policy-Report-Only
- Content-Type
- Cookie
- Critical-CH 
- Cross-Origin-Embedder-Policy
- Cross-Origin-Opener-Policy

# Cache-Control

The **Cache-Control** HTTP header field holds directives (instructions) — in both requests and responses — that control [caching](#) in browsers and shared caches (e.g. Proxies, CDNs).

<b>Header type</b>	<a href="#">Request header</a> , <a href="#">Response header</a>
<a href="#">Forbidden header name</a>	no
<a href="#">CORS-safelisted response header</a>	yes

## In this article

- Syntax
- Vocabulary
- Directives
- Use Cases
- Specifications
- Browser compatibility
- See also

## Syntax

Caching directives follow the validation rules below:

- Caching directives are case-insensitive. However, lowercase is recommended because some implementations do not recognize uppercase directives.
- Multiple directives are comma-separated.
- Some directives have an optional argument.

## Cache directives

The following table lists the standard **Cache-Control** directives:



Name

Preview Headers Cookies Sizes Timing Security

- lindsayellis-everyone-loves-guy-fieri
- manifest.json
- C7144075EB12B78C4.css
- osano.js
- index-b03ccfa2.js
- index-70fd2565.css
- envelope
- data:application/x-font-woff;base64,
- nebula-navbar-light@2x-95459d40.p
- search-f0ce8711.svg
- chevron-ec9c4be8.svg
- NoAccessPlacard-4be39515.css
- app\_store\_badge-e1a7f36d.svg

- Create Request Local Override
- Create Response Local Override
- Block Request URL
- Open in New Window
- Reveal in Sources Tab
- Copy Link
- Copy as fetch
- Copy as cURL
- Copy HTTP Request
- Copy HTTP Response
- Save File
- Export HAR

```
1 <!DOCTYPE html>
fix="og: http://ogp.me/ns# video: ht
e data-react-helmet="true">Everyone
charset="utf-8"/>
name="viewport" content="width=device
"/>
name="theme-color" content="#111719
name="theme-color" content="#FFFFFF
rel="preconnect" href="https://stan
ws.com"/>
rel="manifest" href="/manifest.json
rel="stylesheet" type="text/css"
ps://cloud.typography.com/6361472/63
rel="dns-prefetch" href="https://ne
rel="icon" type="image/png" sizes="
rel="icon" type="image/png" sizes="
<link rel="icon" href="/favicon.ico"/>
<link rel="apple-touch-icon" sizes="180x1
<link rel="apple-app-site-association fil
```

:method: GET  
:scheme: https  
:authority: nebula.tv  
:path: /videos/lindsayellis-everyone-loves-guy-fieri-now/  
Cookie: [edited]  
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,\*/\*;q=0.8  
Host: nebula.tv  
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10\_15\_7) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/16.3 Safari/605.1.15  
Accept-Language: en-GB,en;q=0.9  
Accept-Encoding: gzip, deflate, br  
Connection: keep-alive

# Vary

Accept-Language, Cookie




:method: GET  
:scheme: https  
:authority: nebula.tv  
:path: /videos/lindsayellis-everyone-loves-guy-fieri-now/  
Cookie: [edited]  
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,\*/\*;q=0.8  
Host: nebula.tv  
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10\_15\_7) AppleWebKit/605.1.15 (KHTML, like Gecko) Version/16.3 Safari/605.1.15  
Accept-Language: en-GB,en;q=0.9  
Accept-Encoding: gzip, deflate, br  
Connection: keep-alive

:method: GET  
:scheme: https  
:authority: nebula.tv  
:path: /videos/lindsayellis-everyone-loves-guy-fieri-now/  
Cookie: [edited]


Accept-Language: en-GB,en;q=0.9

# Vary





# Vary



# CloudFront policies

# What's important?

`https://nebula.tv/search?q=coconut`

`Cookie: session=patrick`

`https://nebula.tv/search?q=coconut`

`Cookie: session=patrick; analytics=dave-the-agent`

`https://nebula.tv/search?q=coconut&ref=gmtk`

`Cookie: session=patrick`



# Cache policy

**`https://nebula.tv/search?q=coconut`**

**`Cookie: session=patrick`**

**`https://nebula.tv/search?q=coconut`**

**`Cookie: session=patrick; analytics=dave-the-agent`**

**`https://nebula.tv/search?q=coconut&ref=gmtk`**

**`Cookie: session=patrick`**

# Origin request policy

<https://nebula.tv/search?q=coconut>

Cookie: session=patrick

<https://nebula.tv/search?q=coconut>

Cookie: session=patrick; *analytics=dave-the-agent*

<https://nebula.tv/search?q=coconut&ref=gmtk>


Cookie: session=patrick

viewer

cache  
policy

origin  
request  
policy

origin





**Amazon CloudFront** Developer Guide

- ▶ What is Amazon CloudFront?
- ▶ Getting started
- ▶ Working with distributions
- ▼ Working with policies
  - ▼ Controlling the cache key
    - Using the managed cache policies**
    - Understanding the cache key
  - ▶ Controlling origin requests
  - ▶ Adding or removing response headers
- ▶ Adding, removing, or replacing content
- ▶ Configuring secure access and restricting access to content
- ▶ Optimizing caching and availability
- ▶ Troubleshooting
- ▶ Request and response behavior
- ▶ Video on demand (VOD) and live streaming video
- ▶ Customizing with edge functions

# Using the managed cache policies

PDF | RSS

CloudFront provides a set of managed cache policies that you can attach to any of your distribution's cache behaviors. With a managed cache policy, you don't need to write or maintain your own cache policy. Managed policies use settings that are optimized for specific use cases.

## Topics

- [Attaching a managed cache policy](#)
- [Available managed cache policies](#)

## Attaching a managed cache policy

To use a managed cache policy with your distribution, you attach the policy to any of your distribution's cache behaviors. The process is the same as attaching a cache policy, but instead of creating a new cache policy, you attach an existing managed cache policy. You attach the policy by ID (with the AWS CLI or SDK) in the following section.

For more information, see [Creating a cache policy](#).

**Amazon CloudFront** Developer Guide

- ▶ What is Amazon CloudFront?
- ▶ Getting started
- ▶ Working with distributions
- ▼ Working with policies
  - ▼ Controlling the cache key
    - Using the managed cache policies**
    - Understanding the cache key
  - ▶ Controlling origin requests
  - ▶ Adding or removing response headers
- ▶ Adding, removing, or replacing content
- ▶ Configuring secure access and restricting access to content
- ▶ Optimizing caching and availability
- ▶ Troubleshooting
- ▶ Request and response behavior
- ▶ Video on demand (VOD) and live streaming video
- ▶ Customizing with edge functions

**Amazon CloudFront** Developer Guide

- ▶ What is Amazon CloudFront?
- ▶ Getting started
- ▶ Working with distributions
- ▼ Working with policies
  - ▶ Controlling the cache key
  - ▼ Controlling origin requests
    - Using the managed origin request policies**
    - Adding CloudFront request headers
    - Understanding how origin request policies and cache policies work together
  - ▶ Adding or removing response headers
  - ▶ Adding, removing, or replacing content

## On this page

- [Attaching a managed cache policy](#)
- Available managed cache policies

# Using the managed origin request policies

PDF | RSS

CloudFront provides a set of managed origin request policies that you can attach to any of your distribution's cache behaviors. With a managed origin request policy, you don't need to write or maintain your own origin request policy. The managed policies use settings that are optimized for specific use cases.

## Topics

- [Attaching a managed origin request policy](#)
- [Available managed origin request policies](#)

## Attaching a managed origin request policy

## On this page

- [Attaching a managed origin request policy](#)
- Available managed origin request policies

Do not allowlist query strings



I'm the problem, it's me.

What and how to cache



`/favicon.ico`

Don't

`/index.2c3.js`

`--cache-control max-age=86400,public`

# /videos

```
res.writeHead(200, {  
  'Content-Type': 'text/html',  
  'Cache-Control':  
    `public, s-maxage=${MAXAGE_IN_SECONDS}`,  
});
```

# /videos/:name

```
const ctx = { cacheDuration: null };
```

```
const renderedHtml = renderToString(  
  // ...  
  <StaticRouter location={url} context={ctx}>  
    <App />  
  </StaticRouter>  
  // ...  
);
```



# /videos/:name

```
function VideoPage({ staticContext }) {  
  if (staticContext) {  
    // 5 minutes  
    staticContext.cacheDuration = 300;  
  }  
  // ...  
}
```

# /videos/:name

```
res.writeHead(200, {  
  'Content-Type': 'text/html',  
  'Cache-Control':  
    `public, s-maxage=${  
      ctx.cacheDuration ?? MAXAGE_IN_SECONDS  
    }`,  
});
```

CDN will deal with 5XX

```
"CustomErrorResponses": {
  "Quantity": 2,
  "Items": [
    {
      "ErrorCode": 500,
      "ResponsePagePath": "/index.html",
      "ResponseCode": "500",
      "ErrorCachingMinTTL": 0
    },
    {
      // ...
    }
  ]
}
```



How it went



# Thank you

[anton.click/ssr](https://anton.click/ssr)

@zemlanin